


Hygiene-Institut des Ruhrgebiets

Institut für Umwelthygiene und Toxikologie

Director: Dr. Thomas-Benjamin Seiler

Legal Entity: Verein des Hygiene-Instituts des Ruhrgebiets e.V.



Hygiene-Institut · PO Box 10 12 55 · DE 45812 Gelsenkirchen · Germany

Address:

Rotthausen Str. 21, DE 45879 Gelsenkirchen

Switchboard +49 (0)209 9242-0

Internet www.hyg.de

Our reference: W-399164e-25-Zd

Contact person: B. Zeidler

Gelsenkirchen, 15.08.2025

Test - certificate

hygiene-conformity check to the design requirements of
selected regulations

Test institute: Hygiene Institut des Ruhrgebiets
Institut für Umwelthygiene und Toxikologie
Rotthausen Straße 21
45879 Gelsenkirchen

Test object: Heat exchanger C-Serie ERV

Manufacturer: CORE Production Germany GmbH
August-Horch-Strasse 7
08141 Reinsdorf



Basis of the examination: ✓ VDI 6022, sheet 1 (01/2018)

✓ SWKI VA104-01 (01/2019)

Validity period: 5 years 08/2025 – 08/2030

Test report: W-399164-25-Zd

In conclusion it can be stated that the examined Heat exchanger C-Serie ERV, as specified in the test report W-399164-25-Zd, is in compliance with the above mentioned regulations.

(B. Zeidler)

clerk of the Department hygienic building technology

(J. Rolle B. Eng.)

clerk of the Department hygienic building technology

issued 15.08.2025, Gelsenkirchen

Within the framework of the conformity check the hygiene-relevant requirements of the above mentioned regulations were examined. Requirements of other regulations that refer to the above mentioned regulations were not part of the examination. Additionally, the conformity check does not include a toxicological or sensory testing of the introduced materials.

Legal Entity: Verein des Hygiene-Instituts des Ruhrgebiets e.V., Register: VR 519 Local Court Gelsenkirchen (Germany); VAT ID: DE125018356

Directorate: Prof. Dr. Jürgen Kretschmann (Head), Andrea Henze, Joachim Löchte, Dr. Frank Obenaus, Dr. Thomas-Benjamin Seiler (Executive Member), Dr. Dirk Waider